



## Bid Notice Abstract

### Invitation to Bid (ITB)

|                         |                                  |
|-------------------------|----------------------------------|
| <b>Reference Number</b> | 10185388                         |
| <b>Procuring Entity</b> | PROVINCE OF PALAWAN              |
| <b>Title</b>            | Procurement of Medical Equipment |
| <b>Area of Delivery</b> | Palawan                          |

|   |                              |                     |
|---|------------------------------|---------------------|
| <b>Solicitation Number:</b> B1 TF HDMP 23-09-1108   | <b>Status</b>                | <b>Active</b>       |
| <b>Trade Agreement:</b> Implementing Rules and Regulations  | <b>Associated Components</b> | 1                   |
| <b>Procurement Mode:</b> Public Bidding   | <b>Bid Supplements</b>       | 0                   |
| <b>Classification:</b> Goods  | <b>Document Request List</b> | 9                   |
| <b>Category:</b> Medical and Dental Equipment   | <b>Date Published</b>        | 03/10/2023          |
| <b>Approved Budget for the Contract:</b> PHP 11,225,330.00  | <b>Last Updated / Time</b>   | 03/10/2023 00:00 AM |
| <b>Delivery Period:</b> 30 Day/s  | <b>Closing Date / Time</b>   | 25/10/2023 09:00 AM |
| <b>Client Agency:</b>   |                              |                     |
| <b>Contact Person:</b> Arjay Ryan Cabanos Garcellano<br>Executive Assistant I<br>Capitol Compound<br>Puerto Princesa City<br>Palawan<br>Philippines 5300<br>63-48-4235286<br>63-48-4235286<br>philgeps.palawanbac@gmail.com |                              |                     |

#### Description

##### INVITATION TO BID

The Provincial Government of Palawan through its Bids and Awards Committee (BAC) invites suppliers/manufacturers/ distributors/contractors to apply for eligibility and to bid for the hereunder project.

Name of the Project : Procurement of Medical Equipment  
Location of the Project : Puerto Princesa City  
Delivery Period : Within thirty (30) calendar days after the receipt of Notice To Proceed

Prospective bidders should have experience in undertaking a similar project within the last 2 years with an amount of:

a) For the PROCUREMENT OF Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

b) For the PROCUREMENT OF Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

The Eligibility Check/Screening as well as the Preliminary Examination of Bids shall use non-discretionary "pass/fail" criteria. Post-qualification of the lowest calculated bid shall be conducted.

All particulars relative to Eligibility Statement and Screening, Bid Security, Performance Security, Pre-bidding Conference(s), Evaluation of Bids, Post-Qualification, and Award of Contract shall be governed by the pertinent provisions of RA 9184 and its Implementing Rules and regulation (IRR).

The complete schedule of activities is listed, as follows:

##### ACTIVITIES SCHEDULE

Pre-procurement September 27, 2023  
Issuance of Bid Documents October 3, 2023  
Pre-bid Conference October 11, 2023  
Opening of Bids October 25, 2023, at 9:30AM

Bid Documents will be available only to prospective bidders upon payment of a non-refundable amount of Twenty-Five Thousand Pesos (P 25,000.00) to the Provincial Treasurer's Office and must be submitted to the BAC Secretariat at BAC Conference Room, East Wing, 2nd floor, Gov. Ramon V. Mitra Building, Capitol Compound, Puerto Princesa City, on or before 9:00 AM of October 25, 2023 (Date of Opening of Bids). For inquiries, contact Nicole Francine P. Wu at telephone number (048)423-5286.

The Provincial Government of Palawan assumes no responsibility whatsoever to compensate or indemnify bidders for any expenses incurred in the preparation of the bid.

The Bids and Awards Committee is not honoring nor is involved in any pre-arranged agreements made between the end-user units and supplier/contractors.

PhilGEPS : October 3, 2023 – October 25, 2023  
Approved by:

CHRISTIAN JAY V. COJAMCO  
BAC - Chairman

**Pre-bid Conference**

| Date       | Time       | Venue  |
|------------|------------|--|
| 11/10/2023 | 9:00:00 AM | BAC Secretariat at BAC Conference Room, East Wing, 2nd floor, Gov. Ramon V. Mitra Building, Capitol Compound, Puerto Princesa City |

**Other Information**

1 BP Apparatus with Stand and wheels 52 Unit  
Dimension: at least 58cm x 50cm x 21cm  
Height adjustable stand from 40" to 54" (from bottom of base to top of unit)  
Floor Type Attached wire basket stores cuff and tubing  
Complete with Latex inflation system features an adjustable calibrated black nylon cuff 8 ft coiled tubing with connector  
Manometer: 20-300mmHg  
2 Laryngoscope set with 6 blades 20 Unit  
Made of stainless steel  
Large integrated fiber optics, 5500 single fibres minimum  
Autoclavable upto 134° C  
replaceable light guide  
Miller Blade sizes: 00,0,1, Macintosh Blade sizes: 2,3,4  
Stubby metal handle with LED standard bulb with battery & hard plastic case  
3 ENT Diagnostic Set 5 Unit  
Features: 1 otoscope head, vacuum bulb with 3 x magnification, 2.5V; 1 ophthalmoscope head, vacuum bulb, with lens correction dial incremental steps from +20 to -20 diopters; 2.5V handle, fastening screw connection, dimmable,  
Accessories: 3 reusable ear funnels at least 2.5/3.5/4.5mm; 2 laryngeal mirrors, size at least 3.20mm, size at least 4.22mm with plastic hard case Nasal speculum, chrome-plated, with set screw, spare bulb, Curved lamp support;  
Blade holder made of plastic  
4 Delivery Light, Mobile 3 Unit  
Illuminance: 5200-80000 lux.  
Color Temperature: 4000-5000K.  
Power: 18-24 W  
Intensity: Max. 80000 lux.  
Switch sensor and touch switch.  
Lamp Head Diameter: at least 37 cm.  
Input Voltage: 100-220V, 50/60 Hz.  
Output Voltage: 12V/2A -2.5A with AVR, Cervo type 1000VA  
5 ECG Machine with analyzer 18 Unit  
Sampling Rate pacemaker atleast 16,000 samples/channel.  
ADC: 24 bits  
Interpretation: Glasgow algorithm., Battery Capacity: 400 ECGs recording  
Connect to external printer.  
Support barcode reader.  
USB flash drive storage of PDF and XML outputs.  
at least 12-channel ECG machine.  
Standard keyboard,  
Storage of at least 800 ECG Reports.  
Preview full ECG report on screenPDF report export.  
External A4 laser printer  
Glasgow 12-lead analysis.  
Weight: atleast 4.5 kg  
Accessories: ECG Cable and Leadwires  
4 Limb Clamps, 6 Chest Suction Bulb, ECG Conductive Gel, Lithium- Ion Battery, A4 Thermal Paper, Power Cord  
Voltage: AC220-240V;Input Frequency 50-60hz  
With AVR, Cervo Type, 1000VA  
6 Minor Instrument Set 20 Unit  
1-pc. Scalpel Handle, No. 3, (Fig 10-17) Solid, at least 12cm length.  
1-pc. Mayo-Hegar Needle Holder, atleast 16cm length,  
1-pc. Tissue Forceps, Standard Pattern, atleast 1 x 2 teeth, 14,4cm length.  
4-pcs. Micro-Mosquito Hemostatic Forceps, Curved, atleast 12 cm length.  
1-pc. Mayo Dissecting Scissors, Straight, atleast 14.5cm length.  
1pc. Instrument Case, without knob, atleast 420mm x 175mm x 50mm  
all made of stainless steel  
7 Hospital Divider Screen 20 Unit  
Hospital ward equipment's bed divider curtain 3 folding medical screen for clinic/hospital partition screen  
8 Pulse Oximeter, Handheld 28 Unit  
Patient range suitable for adult, child and infant; high resolution at least 2.4" color TFT screen; multi-display on these parameters: spO2(range 70%-100%), Pulse Rate(range 30-250bpm), Perfusion Index(range 0.1%- 20%), Waveform and Pulse Bar; adjustable audio and visual alarms; alarm SpO2, PR, Probe off, finger out, battery indicator; adjustable backlight & voice; adjustable brightness; 127 ID set-up; atleast 72 hour data storage and review; data management transmission method:USB data cable; power supply: adapter or NiMH battery; AC adapter Input Voltage: AC100-240V;Input Frequency 50-60hz; Output Voltage: DC5V/+/- 5%; Output Current:2A Max; Dimension: at least 120x60x30mm(LxWxH)  
9 Microscope, Binocular 6 Unit  
Sliding Binocular Head inclined 45degrees  
Nosepiece: Quadruple nosepiece Eyepiece: WF10X/18mm  
Objective: Achromatic 4x, 10x,40X(S), 100x(S oil)  
Stage:Double Layer mechanical stage atleast 135mm x 140mm; Condenser: ABBE NA 1.25 condenser with Iris Diaphragm and filter, Rack & Pinion Adjustable., Built-in illumination, halogen lamp, 6v/20w;  
Powersupply:AC110/220V, 50/60hz, Weight atleast 8KG with AVR Cervo type, 500VA  
10 Newborn Hearing Screening Equipment 2 Unit  
Otoacoustic emission testing with printer, handheld with bluetooth feature Measurement type type: Distortion Product Otoacoustic Emissions) DPOEA  
Stimulus intensity range: DPOAE 40-70 Dbpsl; Frequency range DPOAE 2.0-5.0khz; Microphone system noise: 20 SPL 2khz(1hz bandwidth); 13 SPL at 1khz(1hz bandwidth); power supply: lithium-ion rechargeable; weight at least 175g handheld unit; Battery life: at least 1000 tests per charge, minimum 15 hrs on time; dimensions atleast 65x30x145mm; PC interface: USB Micro, wireless connection; powersupply:output 5.0V DC, 1.6A; Input 100V-240V AC, 50/60hz; 400mA, Printer type- thermal dot matrix; speed 50-80mm/sec; operating noise <50dB SPL; power supply: at least 7.4V lithium battery; wireless data transfer, accessories: charger for handheld and printer, 2 rolls

thermal paper, box of 146pc of eartips, set of clear probe tube, eartip removal tool, PC software including database, Pursuant to RA 9709, the equipment must be duly recognized and certified by the National Institutes of Health-Newborn Hearing Screening reference(NIH-NHSRC)

11 Fetal Monitor (Cardiotocograph Machine) 2 Unit  
at least 7" wide TFT color LCD display. Up to 150 patients data saving, Fetal heart sound play and record in PC, Rotating Screen by 270degrees: LCF Type, Multiple language support, M3 Channels (FHR 1, FHR 2, UC), Large 7-segments & volume LED: LED TypeFHR (Fetal Heart Rate)  
Dual pushed Doppler ultra sound, Frequency: 0.985 Mhz, Intensity: 10mW/cm2 or less, FHR Range: 30-240bpm FHR, Accuracy: 2% of Range  
FM (Fetal Movement): Auto-detection of Dual Fetal Movement  
UC (Uterine Contraction): External Type Frequency Response: DC- 0.5Hz  
Reference (zero) Control, Measurement Range: 0-99 units.  
Printer: Thermal Array Type, Print Speed: 1,2,3 cm/min, high speed, Auto Record Period: Off, 10,20,30,40, 50,60 min., Paper feeding Function  
Set-up: Alarm Upper/Lower Value, Time and Date, Trend: Data Saving for 450 hours (3hr/person) LCD type, Power: Input: AC 100-240V, 50/60Hz, Output: DC 16V,2.8A, External Link: Wire: RS 232C, Wireless: Bluetooth  
Accessories: 2-each Ultrasound Doppler water proof Probe, 1-each UC Probe, 1-each Event Marker, 2-each Print Paper, 1-each Power Cord, 1-bot. Ultrasound Gel, 3-each Probe Belt, 2-each Probe Holder, 1-each Operation Manual

12 Electrical Surgical Suction Pump 6 Unit  
Suction pump: piston pump, negative pressure value:  $\geq 0.09\text{MPa}$ , Regulating scope of negative pressure:  $0.0.02\text{MPa}$  ~ negative pressure value, Reservoir:  $\geq 2500\text{ mL/pc}$ , 2pcs in the suction unit, Power supply: AC220V/110V and 50Hz/60Hz, Input power: 150VA+15%, Air exhausting speed:  $\geq 20\text{L/min}$ , Noise:  $\leq 65\text{dB(A)}$   
Electric suction unit is the new generation oil-free medical suction unit with negative pressure pump., Oil-free piston pump helps to keep from oil mist pollution. Plastic panel makes it resistant from water erosion., Low noise, easy to operate with manual and pedal switches., Overflow valve helps to prevent liquid from flowing into pump., Medical suction, high negative pressure, high flow rate., Negative pressure is adjustable according to requirements.

13 Gynecology Examination Bed 2 Unit  
Frame is made of tubular steel at least 3/4" and steel g-24; divided into sections for multi-positions, adjustable, provided with stirrups; dimensions at least 35x70x20"(HxLxW)

14 Stethoscope 27 Pc  
Features: adult Chest piece at least 4.3cm; Pediatric chest piece at least 3.3cm; double sided head with both an adult and pediatric tunable diaphragm; diaphragm membrane can be placed with rubber rim to become a bell; stainless steel chestplate material; tube length at least 65cm; weight at least 150g

15 Examination Table 6 Unit  
Examination and treatment table, hamilton type; dimensions at least 60x20x32" with at least 3"bed foam, synthetic leather cover, Cabinet with at least 2 drawers, with basin holder, with 4 wheels

16 Dental Chair 3 Unit  
LED lamp, with film viewer; with saliva ejector, strong and weak; with automatic cup filler; with dental stool; Easy cleaning integral and movable ceramic spittoon; rotatable assistant device & double armrest; standard foot pedal; Dimensions of bed deck at least 1850x600mm(LxW); bed deck height 750mm to 990mm; weight at least 220kg; turning angle of back section:0-75 degees; standard accessories: waterproof cushion(1 set), waist railing(1 pair) leg support(1 pair), filth basin(1 set), armrest(1 pair) with AVR Cervo Type; 1000VA

17 Agglutination Viewer 3 Unit  
Lamp with gooseneck arm allows light positioning to an ergonomic angle; with magnetic mirror mount for fast positioning, Operating conditions: temperature 18 to 33 degree celsius, humidity 20 to 85%, altitude 0 to 2M

18 Autoclave 16L, Vertical 1 Unit  
Stainless, automatic sterilization, easy to operate, maximum temperature upto 134 degree celsius for 4 to 6 minutes; safe protection of lacking water; with over-temperature, over-pressure auto-protect device; power and alarm automatically cut off after sterilization

19 Centrifuge, Hematocrit, 12-placer with reader 8 Unit  
Maintenance-free brushless DC motor  
Microprocessor control, Stainless steel chamberMax speed: 1200rpm  
Max RCF: 13800xg.  
Time Range:0-99h 59min.  
Power supply: 220-240V, 50/60hz.  
Rotor: 12x10ml  
External size: at least 500m(w)x440mm(d)x330mm(h)  
Note:  
All items/equipments must be complaint to DOH/DTI standards  
Purpose: for use of Provincial Government of Palawan Hospitals.  
x-x-x-x Nothing Follows x-x-x-x

**Created by** Arjay Ryan Cabanos Garcellano

**Date Created** 02/10/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.