



## Bid Notice Abstract

### Invitation to Bid (ITB)

**Reference Number** 10699390  
**Procuring Entity** PROVINCE OF PALAWAN  
**Title** Procurement of Oxygen and Acetylene for the Repair and Maintenance of Machinery and Equipment  
**Area of Delivery** Palawan

|   |                              |                     |
|---|------------------------------|---------------------|
| <b>Solicitation Number:</b> B1 GF PEPO 24-03-0335   | <b>Status</b>                | <b>Active</b>       |
| <b>Trade Agreement:</b> Implementing Rules and Regulations  | <b>Associated Components</b> | 1                   |
| <b>Procurement Mode:</b> Public Bidding   | <b>Bid Supplements</b>       | 0                   |
| <b>Classification:</b> Goods  | <b>Document Request List</b> | 0                   |
| <b>Category:</b> General Merchandise  | <b>Date Published</b>        | 27/03/2024          |
| <b>Approved Budget for the Contract:</b> PHP 339,250.00   | <b>Last Updated / Time</b>   | 27/03/2024 00:00 AM |
| <b>Delivery Period:</b> 14 Day/s  | <b>Closing Date / Time</b>   | 03/04/2024 09:00 AM |
| <b>Client Agency:</b>   |                              |                     |
| <b>Contact Person:</b> Arjay Ryan Cabanos Garcellano<br>Executive Assistant I<br>Capitol Compound<br>Puerto Princesa City<br>Palawan<br>Philippines 5300<br>63-48-4235286<br>63-48-4235286<br>philgeps.palawanbac@gmail.com |                              |                     |

**Description**

INVITATION TO BID

The Provincial Government of Palawan through its Bids and Awards Committee (BAC) invites suppliers/manufacturers/ distributors/contractors to apply for eligibility and to bid for the hereunder project.

Name of the Project : Procurement of Oxygen and Acetylene for the Repair and Maintenance of Machinery and Equipment

Location of the Project : Puerto Princesa City

Delivery Period : Within fourteen (14) calendar days after the receipt of Notice To Proceed

Prospective bidders should have experience in undertaking a similar project within the last 2 years with an amount of:

a) For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

b) For the Procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

The Eligibility Check/Screening as well as the Preliminary Examination of Bids shall use non-discretionary "pass/fail" criteria. Post-qualification of the lowest calculated bid shall be conducted.

All particulars relative to Eligibility Statement and Screening, Bid Security, Performance Security, Pre-bidding Conference(s), Evaluation of Bids, Post-Qualification, and Award of Contract shall be governed by the pertinent provisions of RA 9184 and its Implementing Rules and regulation (IRR).

The complete schedule of activities is listed, as follows:

ACTIVITIES SCHEDULE

Pre-procurement N/A

Issuance of Bid Documents March 27, 2024

Pre-bid Conference N/A

Opening of Bids April 3, 2024, at 9:30AM

Bid Documents will be available only to prospective bidders upon payment of a non-refundable amount of Five Hundred Pesos (P 500.00) to the Provincial Treasurer's Office and must be submitted to the BAC Secretariat at BAC Conference Room, East Wing, 2nd floor, Gov. Ramon V. Mitra Building, Capitol Compound, Puerto Princesa City, on or before 9:00 AM of April 3, 2024 (Date of Opening of Bids). For inquiries, contact Nicole Francine P. Wu at telephone number (048)423-5286.

The Provincial Government of Palawan assumes no responsibility whatsoever to compensate or indemnify bidders for any expenses incurred in the preparation of the bid.

The Bids and Awards Committee is not honoring nor is involved in any pre-arranged agreements made between the end-user units and supplier/contractors.

PhilGEPs : March 27, 2024 – April 3, 2024  
Approved by:

CHRISTIAN JAY V. COJAMCO  
BAC - Chairman

**Other Information**

- 1 OXYGEN REFILL 1800 psi (50lbs/cyl) 100 cyl
- 2 ACETYLENE REFILL 220 PSI (8lbs/cyl) 75 cyl

Note:

Interested bidder must have a Certificate of Distributorship from authorized dealer

\* For Industrial use (welding)

x-x-x-x Nothing Follows x-x-x-x

**Created by** Arjay Ryan Cabanos Garcellano

**Date Created** 26/03/2024

The PhilGEPs team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPs only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.